



Declaration of Performance

According to Annex III of the Regulation (EU) Nr.305/2011 (Construction Products Regulation)

Nullifire FS703 Solvent Free Fire Resistant Silicone Sealant

1121-CPR-JA

1. Product Type

Unique identification code of the product type:

Nullifire FS703 Solvent Free Fire Resistant Silicone Sealant

2. Type

batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

FS703

batch no. refer to packaging

3. Intended Use

Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

A solvent free, fire resistant silicone sealant is a silicone based sealant used to form linear gap seals where gaps are present in wall and floor constructions and linear joint seals where wall and floor constructions abut. The field of application has to comply with the content of ETA 14/0002.

4. Name, Registered Trade Name

or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

Nullifire
tremco illbruck Limited
Coupland Road, Hindley Green
Wigan WN2 4HT United Kingdom

5. Contact Address

Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

Not relevant (see 4)

6. AVCP

System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

AVCP System 1

7. Notified Body (hEN)

In case of the declaration of performance concerning a construction product covered by a harmonised standard:

Not relevant

8. Notified Body (ETA)

In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Warrington Certification Limited issued European Technical Approval - ETA 14/0002 on the basis of ETAG 026 part 1 General fire protection products & ETAG 026 part 2 fire stopping and fire sealing products & issued certificate of conformity 1121-CPR-JA

9. Declared Performance

See table on following page

ETAG Clause N°	Essential Characteristics	Assessment of Characteristic	Technical Specification
	Safety in case of fire		
2.4.1	Reaction to fire	Class F	EN13501-1
2.4.2	Resistance to fire	Resistance to fire performance & field of application in accordance with EN13051-2 See ETA 14/0002 clause 3.2 - Annex C	EN1366-3:2009 EN13501-2 as given in Annex C
	Hygiene, Health and Environment		
2.4.3	Air Permeability	Air Permeability See clause 3.3 ETA14/0002: 100Pa	BS EN 1314-1
2.4.9	Airborne Sound Insulation	See ETA 14/0110 Clause 3.9 – Rw (C;Ctr) = 38 (-2;-9) dB	
2.4.5	Dangerous Substances	See ETA 14/0110 Clause 2.5	
	Energy, Economy and heat retention		
2.4.12	Service & Durability	Z1 (0/+40c) intended for use at internal conditions with high humidity (85%) in accordance with EOTA technical documents TR024, Clause 3.12	
	Other	Not applicable/No performance determined	



Nullifire/Tremco Illbruck Limited

14

1121-CPR-JA

ETA 14-0002


ETAG 26, Parts 1 and 2

Essential characteristics - See declaration of performance

10. Declaration

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance (DoP) is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:


Mike Liptrot
Manufacturing

17 July 2014

tremco illbruck Coatings Ltd
Declaration of Performance
Identification N°: FS703 20140717
Version N° 1

Ecology, Health & Safety Information (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

Legal Note

tremco illbruck products are manufactured to rigid standards of quality. Any product which has been applied (a) in accordance with tremco illbruck

written instructions and (b) in any application recommended by Tremco illbruck, but which is proved to be defective, will be replaced free of charge.

No liability can be accepted for the information provided in this leaflet although it is published in good faith and believed to be correct. tremco illbruck Limited reserves the right to alter product specifications without prior notice, in line with Company policy of continuous development and improvement.



tremco illbruck Limited
Coupland Road, Hindley Green
Wigan WN2 4HT
United Kingdom
T: +44 1942 251400
F: +44 1942 251410

info.uk@tremco-illbruck.com
www.tremco-illbruck.co.uk